## Docket No.: 01527/100L635-US1

## **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions, and listings, of claims in this application.

- (Currently Amended) A composition comprising a curable admixture of a bone substitute; and
- a crosslinkable prepolymer, wherein the crosslinkable prepolymer comprises an anhydride of
- (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety;

a photoinitiator; and

one or both parts of a redox system containing an oxidizing component and a reducing component.

- 2. (Canceled)
- 3. (Canceled)
- 4. (Original) The composition of claim 1 wherein the crosslinkable prepolymer is linear with an unsaturated hydrocarbon moiety at each terminus.
- 5. (Original) The composition of claim 1 wherein the crosslinkable prepolymer comprises a dianhydride of a dicarboxylic acid monomer or oligomer and a carboxylic acid molecule comprising an unsaturated moiety.
- 6. (Original) The composition of claim 5, wherein the crosslinkable prepolymer comprises a methacrylic acid dianhydride of a monomer or oligomer of a diacid selected from the group consisting of sebacic acid and 1,3-bis(p-carboxyphenoxy)-alkane.
- 7. (Original) The composition of claim 6, wherein the 1,3-bis(p-carboxyphenoxy)-alkane is 1,3-bis(p-carboxyphenoxy)-propane.
- 8. (Original) The composition of claim 1, wherein the crosslinkable prepolymer further comprises a second anhydride of
  - (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety, and

Docket No.: 01527/100L635-US1

wherein the second anhydride is different from the first anhydride.

- 9. (Original) The composition of claim 8, wherein the first anhydride is a methacrylic acid dianhydride of a monomer or oligomer of sebacic acid; and the second anhydride is a methacrylic acid dianhydride of a monomer or oligomer of 1,3-bis(p-carboxyphenoxy)-alkane.
- 10. (Original) The composition of claim 8, wherein the ratio of the first anhydride to the second anhydride is from about 1:20 to about 20:1.
- 11. (Original) The composition of claim 9, wherein the ratio of the first anhydride to the second anhydride is from about 1:5 to about 5:1.
- 12. (Original) The composition of claim 9, wherein the ratio of the first anhydride to the second anhydride is from about 1:5 to about 1:1.
- 13. (Original) The composition of claim 9, wherein the ratio of the first anhydride to the second anhydride is from about 1:1 to about 1:5.
- 14. (Original) The composition of claim 1, wherein the bone substitute is an autograft, allograft, xenograft or alloplast or mixture thereof.
  - 15. (Original) The composition of claim 14, wherein the alloplast is polymeric.
- 16. (Original) The composition of claim 1, wherein the bone substitute comprises porous micron-sized particles, each particle having a core layer of a first biocompatible polymeric material and a coating of a second biocompatible polymeric material surrounding the core layer, wherein the second polymeric material is hydrophilic and different in composition from the first polymeric material.
- 17. (Original) The composition of claim 16, wherein the diameter of the micron-sized particles is from about 250 microns to about 900 microns.
- 18. (Original) The composition of claim 16, wherein the first polymeric material is poly(methylmethacrylate).
- 19. (Original) The composition of claim 16, wherein the second polymeric material is a poly(hydroxyethylmethacrylate).
- 20. (Original) The composition of claim 16, wherein calcium hydroxide is distributed on the outer surface of and inside the micron-sized particles.
- 21. (Original) The composition of claim 1, wherein the ratio of the bone substitute to the crosslinkable prepolymer is from about 1:20 to 20:1.

- 22. (Original) The composition of claim 21, wherein the ratio of the bone substitute to the crosslinkable prepolymer is from about 1:2 to 2:1.
  - 23. (Original) The composition of claim 1, further comprising a therapeutic agent.
- 24. (Currently Amended) A cured composition comprising a bone substitute and a crosslinked prepolymer, wherein the prepolymer prior to crosslinking is one or more anhydride(s) of
  - (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety,

wherein said composition is cured using a photoinitiator and one or both parts of a redox system containing an oxidizing component and a reducing component.

- 25. (Original) The cured composition of claim 24, wherein at least 20% (w/w) of the cured composition biodegrades in from about 6 to 10 weeks.
- 26. (Original) The cured composition of claim 25, wherein at least 50% (w/w) of the cured composition biodegrades in from about 6 to 10 weeks.
- 27. (Original) The cured composition of claim 24, wherein at least 20 % (w/w) of the cured composition biodegrades in from about 6 to 12 months.
- 28. (Original) The cured composition of claim 27, wherein at least 50% (w/w) of the cured composition biodegrades in from about 6 to 12 months
- 29. (Withdrawn, Currently Amended) A method of promoting bone generation comprising the steps of:
  - (A) applying to an area in need of such promotion a composition comprising a curable admixture of a bone substitute and a crosslinkable prepolymer, wherein the crosslinkable prepolymer comprises an anhydride of
    - (i) a monomer or oligomer of a diacid or multifunctional acid and
  - (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety; and
  - (B) curing the composition, wherein curing comprises using a photoinitiator and one or both parts of a redox system containing an oxidizing component and a reducing component.

30. (Withdrawn, Currently Amended) A method of stabilizing a dental implant comprising the step of:

Docket No.: 01527/100L635-US1

at least partially embedding a dental implant into a cured composition wherein the cured composition is obtained by curing a curable admixture of a bone substitute and a crosslinkable prepolymer, wherein the crosslinkable prepolymer comprises an anhydride of

- (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety

wherein said composition is cured using a photoinitiator and one or both parts of a redox system containing an oxidizing component and a reducing component.

- 31. (Withdrawn) The method of claim 30, wherein the dental implant is at least partially embedded into the cured composition by the steps of:
  - (1) planting a dental implant into a bone and/or bone void;
- (2) at least partially embedding the dental implant by applying a curable admixture around the dental implant; and
  - (3) curing the curable admixture to form the cured composite.
- 32. (Withdrawn) The method of claim 30, wherein the dental implant is at least partially embedded into the cured composition by the steps of:
  - (1) at least partially filling a bone void by applying a curable admixture;
  - (2) curing the curable admixture to form the cured composite; and
- (3) planting a dental implant into the bone by at least partially embedding the dental implant into the cured composite.
- 33. (Withdrawn, Currently Amended) A method of preparing objects of desired shape and size comprising the step of: curing in a mold a curable admixture of a bone substitute and a crosslinkable prepolymer, wherein the crosslinkable prepolymer comprises an anhydride of
  - (i) a monomer or oligomer of a diacid or multifunctional acid and

Application No. 10/789,442 Response to Official Action of March 7, 2007

(ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety

wherein curing comprises using a photoinitiator and one or both parts of a redox system containing an oxidizing component and a reducing component.

- 34. (Withdrawn) A method of drug delivery comprising the steps of:
- (A) applying to an area in need of drug delivery a composition comprising a curable admixture of a bone substitute and a crosslinkable prepolymer, and a therapeutic agent,

wherein the crosslinkable prepolymer comprises an anhydride of

- (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, wherein the crosslinkable group is an unsaturated hydrocarbon moiety; and
- (B) curing the composition, wherein curing comprises using a photoinitiator and one or both parts of a redox system containing an oxidizing component and a reducing component.

## Claims 35 – 93. (Canceled)

- 94. (Original) A composition comprising a curable admixture of
- (A) a polymeric bone substitute;
- (B) a crosslinkable prepolymer, comprising an anhydride of
  - (i) a monomer or oligomer of a diacid or multifunctional acid and
- (ii) a carboxylic acid molecule which includes a crosslinkable group, having an unsaturated hydrocarbon moiety;
- (C) a photoinitiator; and one or both parts of a redox system containing an oxidizing component and a reducing component.
  - 95. (Original) A method of forming a cured composition comprising:
  - (A) forming a curable admixture of

Docket No.: 01527/100L635-US1

- (i) a polymeric bone substitute;
- (ii) a crosslinkable prepolymer comprising an anhydride of a monomer or oligomer of a diacid or multifunctional acid and a carboxylic acid molecule which includes a crosslinkable group having an unsaturated hydrocarbon moiety;
  - (iii) a photoinitiator; and
  - (iv) a redox system comprising an oxidizing component and a reducing component;
- (B) partially curing said admixture by the reaction of the two component of the redox system; and
- (C) exposing the partially cured curable admixture to sufficient radiation to photopolymerize said partially cured curable admixture.

## Claims 96 - 99 (Canceled)

- 100. (New) The composition of claim 1, further comprising a bone promoting agent.
- 101. (New) The composition of claim 100, wherein the bone promoting agent is a basic fibroblast growth factor.
  - 102. (New) The cured composition of claim 24, further comprising a bone promoting agent.
- 103. (New) The cured composition of claim 102, wherein the bone promoting agent is a basic fibroblast growth factor.